
proSafe

DOMETIC proSafe 2008
Next Generation Safes



 **Dometic**

New Design

Colour Dometic

NCS 8502

Instruction label larger, more visible with round corners

NCS 8502 and radius 12.5

Logo, keypad text and graphics in Aluminium White RAL 9006



LED display cut out with round corners

Keypad label same size as instruction label -> attractive symmetry.



DOMETIC

proSafe

2008



proSafe

2004



 **Dometic**

New Electronic

New development of microchip and supporting electronic components.

Larger memory function (from today's 64 events up to 1,000 events).

Audit by SD card and secure web page – no special printer needed.



Display & circuit all in one



New Electronics

Also important production data such as product number, serial number, manufacturing date and specific safe configuration is transferred to safe memory.



Display & circuit all in one



New Web Software



New Web Software

Extended audit function, **iAudit**, and remote emergency opening system, **REOS** managed by an exclusive and secure web page.

No PDA and no special printer needed.

Information from safe to web software is transferred via a special **Dometic SD card device**.

Upgrade to audit function is also possible online – no change of electronics, no expensive service labour.



 **Dometic**

iAudit by Dometic

Audit number 0000001
GMT Date 23 12 07
GMT Time 05:20

Property: Grand Hotel
Location: Stockholm
Room number: 1901

Requested by: Joachim Kinscher

Product Nr: 952 234 234
Serial Nr: 123 333 333

Read out Date: 23 12 07
Read out Time: 09:05

Last service openings: 10/11 2007 at 23:45 webreos code
10/11 2007 at 23:44 master code
10/11 2007 at 23:43 master key
12/10 2007 at 23:43 master key
12/10 2007 at 23:43 master key

22/12 2007 at 23.45	Locked
22/12 2007 at 08:45	Unlocked
21/11 2007 at 22:45	Locked
20/11 2007 at 15.10	Webreos code
20/11 2007 at 08.00	Change of master code
20/11 2007 at 08.00	incorrect Guest code
19/11 2007 at 08.00	5 incorrect Guest code -> timeout
19/11 2007 at 08.00	Change of parameters
19/11 2007 at 08.00	20 correct openings/closing in 10 minutes -> timeout
11/11 2007 at 02.00	Initial memory reset
10/11 2007 at 23:45	webreos code
10/11 2007 at 23:44	master code
10/11 2007 at 23:43	master key

Hotel Signature:

Guest Signature:



 **Dometic**

Model range & Measurements

S = **S**tandard version

MD 361 S

MD = **M**otorized & **D**isplay

36 = **36** cm width
1 = generation number



Model range & Measurements

New dimensions:

MD 381 is a new member specially designed to fit 17 inch laptops. It is an alternative to MD 490 with lower cost, less width and more depth.

Dimension (height x width x depth) 190 x 380 x 450 mm.

MD 450 is a new large size and low cost safe with final assembly and full quality control by factory in Girona.

Dimension (height x width x depth) 200 x 450 x 400 mm.



Model range & Measurements

4 different variants to select from:

S Standard. Without iAudit and webReos, but with possibility for future online upgrade.

L Luxe. With iAudit and webReos.

MD 361 model range will also be available in two additional variants:

B Basic. Without iAudit and webReos, but with possibility for future online upgrade. Housing with 1.5 mm metal sheet instead of 2.0 mm and with horizontal incisions.

P Premium. Silver white with blue led, iAudit and webReos.



Model range & Measurements

Special Caravan safes:

Caravan safes are pretty much the same as hotel safes, however, as standard equipped with 2 individual master keys each, fixing kit, instruction manual in each safe, no master code and special packaging for in-store support.

proSafe 281 C

proSafe MD 281 C

proSafe MD 361 C



Model range & Measurements

Actual Model	New Standard	New Luxe	New Premium	Dimension
280	281	-		165 x 280 x 235
M 280	Exclude	Exclude		
MD 280	MD 281 S	MD 281 L		165 x 280 x 235
MDB 360	MD 361 B			190 x 360 x 410
M 360	Exclude	Exclude		
MD 360	MD 361 S	MD 361 L	MD 361 P	190 x 360 x 410
	MD 381 S	MD 381 L		190 x 380 x 450
MD 405	Exclude	MD 406 L		190 x 405 x 350
MD 490	Exclude	MD 491 L		190 x 490 x 370
MDD 400	Exclude	MDD 401 L		200 x 400 x 440
MDD 400 i	Exclude	MDD 401 LI		200 x 400 x 440
MD 450 X				200 x 450 x 400

S = standard

L = luxe
version with
iAudit &
webReos

B = basic

P = Premium
version with
iAudit &
webReos,
silver white &
blue led



 **Dometic**

Unique Selling Points

- Flat design with door cut in laser.
- Electronics “best in class”. 1000 event memory transferred to web page by an SD card device – no special printer or PDA required.
- Standard safe upgradeable to audit functions (online).
- Unique emergency opening system on same software (web) platform as audit functions. Convenience and high security. Unlimited users, managed by property.
- Easy service & maintenance.



Some other changes...

- New (adjustable) spring opening. Customer can reduce door opening angle.
- Possibility to check battery level (voltage) via keypad.
- 4 digit standard opening instead of 6 digit (optional 6 digits or 1-6 digits).



Timing

- Product launch, S version November 1
Product launch, L version December 1
- Brochure December
- Instruction manual, basic December 1
Instruction manual, webreos December 15
- End production of present range February 29
- Billing prices October 19



DOMETIC low cost safe



 **Dometic**

MD 450 X



 **Dometic**

MD 450 X

Door thickness:	5 mm
Wall thickness:	2 mm
Pivots:	2 x 18.5 mm
Password:	4 digits (guest) 1 – 10 digits (master)
Display:	LED (red)
Manual opening:	Yes
Weight:	13 kg
Measurement:	200 (height) 450 (width) 400 (depth)



Timing

- Product launch, samples available
Product launch, stock January 15
- Brochure December
- Instruction manual, basic available

